

Hydrogen balloon

Keywords: 2017, Chemistry, Combustion, Exothermic, Explosive, Fuel cell, Gases, Hydrogen, Pop Sound

Meta Description

Store in a balloon the light (Hydrogen) gas produced from a chemical reaction. This gas will combust in the presence of oxygen, causing a small explosion to occur.

Learning Objectives

To produce hydrogen gas and illustrate some of its properties.

To show how hydrogen can be a useful source of energy, which may be considered as an alternative resource to fossil fuels.

Key Terms

Biomass

The organic content making-up organisms, which can be used as a source of fuel.

Molecular hydrogen

Two hydrogen atoms covalently bound together, forming a diatomic molecule (H₂).

Relative Atomic Mass

A ratio comparing the average mass of one atom of a particular element with one-twelfth of the mass of one carbon-12 atom.

Tarnish

Enhanced dullness or lack of brightness when exposed to air or moisture.

Method

Step 1

Fill a bowl with water and add some detergent to it, this will cause lather to form.

Step 2

Cut a small amount of aluminium foil to small pieces and place them in a flask.

Step 3

To the same flask add 10 mL of sodium hydroxide solution.

Step 4

Quickly, attach the balloon to the tip of the flask and observe its expansion.

Step 5

After a few minutes (about 2-5 minutes), remove the balloon with care in order to prevent the gas from escaping.

Step 6

Bubble the gas present within the balloon into the water.

Step 7

Place a match near the water surface and observe what happens.

Alternative Method

- Sodium hydroxide may be replaced by a drain cleaner instead. Pour about 200 mL of drain cleaner along with small aluminium foil pieces, and allow the reaction to occur.
- In the laboratory, use a test tube with a side-arm. Add pieces of aluminium foil and 10 mL of sodium hydroxide solution, then quickly stopper the test tube. Attach a rubber tubing to the side arm of the test tube and submerge its end into the bowl of soapy water. Light the small bubbles formed with a match.

Precautions

1. It is very important to wear protective gear such as goggles, lab coat and gloves throughout the whole experiment.
2. This experiment should only be carried out in the presence of an experienced science supervisor.
3. Try producing small bubbles of hydrogen when bubbling, rather than large ones, so as to reduce the risk of producing large fires.
4. Audiences are to be warned in advance for any generation of loud noises, due to hydrogen burning.
5. Caution must be taken upon **handling sodium hydroxide**, as it can cause skin and eye irritation. Direct skin contact should be avoided.
6. Before throwing away the aluminium foil, wash it with water to ensure that nothing is left to react. Dispose of the solution down the drain and discard the remaining aluminium in the

rubbish.

Narrative

Hydrogen molecules collide with oxygen to produce an explosive burst, however, this does not occur at normal temperatures, because the presence of a flame is a requirement for such a reaction to occur. This collision is similar to that of two cars travelling in opposite directions to each other. If the two cars are moving at very slow speeds, then the collision produces minimal damage, if at all, however, if the two vehicles are moving very fast towards each other, then the collision would result in a catastrophic burst of energy which causes a larger scale destruction of the two cars.

Therefore, the flame introduced causes a rise in temperature, where both hydrogen and oxygen are supplied with energy, making them move faster, just like the two cars. The two molecules travel so fast, that a head-on collision with one another would result in the production of a burst of energy, experienced as an explosion.

These collisions are able to cause other collisions, just as a car crash causes chaos to other drivers, which may lead to several other accidents, then the collision of one hydrogen and oxygen molecules can also cause other molecules to collide. In nature, each burst of energy from a collision is transferred to neighbouring molecules, making them more energetic and faster, hence, causing multiple collisions.

Questions

Why is it better to make use of small pieces of aluminium foil?

The smaller the pieces, the greater the surface area exposed upon reaction with sodium hydroxide, hence, the reaction occurs faster.

Why is the reaction initially slow but then it suddenly speeds up?

Aluminium is covered by an unreactive layer of aluminium oxide.

Why is it that as the reaction progresses the flask becomes warm?

The reaction is an exothermic reaction. That is, heat is being generated and released to its surroundings.

Why does the hydrogen balloon float in the air?

Hydrogen is lighter than air.

Name another gas-filled balloon that also floats in the air.

Helium-filled balloon.

Hydrogen does not combust when stored in the balloon. Why?

Hydrogen within the balloon is excluded from both oxygen and high temperatures, thus, ignition does not occur.

Brief Explanation

Air is a mixture of gases, mainly of oxygen and nitrogen. Other minor gases in air include carbon dioxide, argon and water vapour. In this experiment, hydrogen gas is produced. Such gas is much lighter than any of the gases making up the composition of air, therefore, a hydrogen gas-filled balloon would float in the air. The same principle applies to other examples, such as helium gas-filled balloons, which also float in the air.

Hydrogen gas is produced as a product from the reaction between aluminium and sodium hydroxide solution. The hydrogen, being a light gas, starts moving upwards where it can be gathered within the balloon. However, another product is also produced in this reaction, apart from hydrogen, yet this is a soluble salt that remains within the solution.

Hydrogen is a flammable gas which reacts with oxygen in air when lit and burns with a popping sound as it produces water as a product. In fact, the laboratory test for the presence of hydrogen is to burn the gas with a lit splint, which causes its characteristic popping sound.

Detailed Explanation

Hydrogen is a simple gas that is known to be the most abundant element in the universe, however, it is overall less common on Earth. Hydrogen can be produced in the form of molecular hydrogen from oil, natural gas, biomass or by splitting water.


The periodic table lists the values of all the relative atomic masses (RAM) for each element. The first two elements are helium and hydrogen, whereby, when compared to the RAM of other gases in the air, it is clearly understood why both these gases are lighter than air. The peculiar thing about this reaction is the relatively small amount of hydrogen which is initially produced, but as the reaction progresses, the substances react more vigorously, and the balloon is observed to fill up at a faster rate. This observation is due to the occurring reaction between aluminium and oxygen in the air which causes the solid to tarnish and form a thin layer of aluminium oxide. This oxide layer renders the aluminium unreactive, therefore, it must first be broken down for the desired reaction to occur.

The addition of sodium hydroxide solution with the aluminium foil results in the following chemical equation;



The high temperatures provided by the burning match, causes the hydrogen bubbles to ignite in the presence of oxygen. This is an extremely quick reaction which **releases a large amount of energy** to produce 232 kJ/mol of water. The energy generated causes the surrounding air to suddenly expand and produce a sudden explosion.

The gaseous reaction between hydrogen and oxygen is as follows;



Applications and Research

Application

Current applications concerning hydrogen combustion reactions focus mainly on **space research**. The hydrogen combustion reaction releases a lot of energy, making it a particularly useful source for space travel. An example of this is the utilization of hydrogen fuel to power N.A.S.A rockets into space. The use of hydrogen is more favoured than fossil fuel sources, for several reasons, firstly, hydrogen is considered to be a renewable source of energy, and secondly, the by-product material at the end of the combustion process is solely water, meaning that no pollutants are produced. Hydrogen combustion is achieved through fuel cells, where hydrogen acts as an energy carrier, whereby the chemical energy gathered through it is converted, in a very efficient manner, into electrical energy.

Research

The use of hydrogen as a source of energy is not a new concept, thus, research is continuously carried out so as to make this reaction as practical as possible. **Research at the Birmingham Centre for Fuel Cell and Hydrogen Research** is working on innovative methods to convert waste material into energy. Further research is also done to acquire scale production of fuel cells so as to have hydrogen sources of energy available for the use of the consumer.

Investigation

Fill a balloon with Helium and bubble it in the soapy water. Place the burning match in contact with the helium bubble. What happens? The helium balloon is also observed to float in the air, but unlike hydrogen, helium is not combustible and as a result, the burning match is extinguished in the process.



Subject

Chemistry

Education

Secondary
Post Secondary
University
Informal

Time Required

~10 minutes
Preparation: 2 minutes
Conducting: 8 minutes
Clean Up: 2 minutes

Cost

0 – 10 €

Recommended Age

13 – 16
>16

Number of People

1 participant

Supervision

Required

Location

Outdoors
Laboratory

Materials

Aluminium foil

Bowl with water

Detergent

Flask

Matches

Small balloons

Sodium hydroxide solution

Contributor

Chantelle Spiteri
Author

Sources

Aluminium Foil and NaOH

Clean air

Explosive Reaction of Hydrogen and Oxygen Using Balloons

Hydrogen and Fuel Cell Technology Basics

Making Hydrogen – Teacher’s Instructions

Additional Content

Fuel Cells (Beginner)

Energy Transfers – Fuel Cells(Intermediate)

If water vapour is the key greenhouse gas, why are man-made emissions important?
(Intermediate)

What Happens When Hydrogen & Oxygen Combine?(Intermediate)

Fuel Cells(Advanced)

Hydrogen Fuel Basics (Advanced)

Cite this Experiment

Spiteri, C. (2017, November 11). Hydrogen balloon. Retrieved from
<http://steamexperiments.com/experiment/hydrogen-balloon/>

First published: **November 11, 2017**

Last modified: **November 12, 2017**